



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION N	10.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/666,351		09/17/2003	Shmuel Shapira	SYM 306	8190	
23581	7590	03/14/2006			EXAMINER	
	H HARTV	VELL, P.C.	BOGART, M	BOGART, MICHAEL G		
	YAMHILL S		ART UNIT	PAPER NUMBER		
PORTLA	ND, OR 9	7204	3761	3761		
			DATE MAIL ED: 03/14/200	DATE MAILED: 03/14/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.		Applicant(s)					
	Office Action Comments	10/666,35		SHAPIRA, SHMUEL					
	Office Action Summary	Examiner		Art Unit					
		Michael G.	-	3761					
Period fo	The MAILING DATE of this communication app or Reply	ears on the	cover sheet with the c	orrespondence ad	ldress				
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period vere to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THI 36(a). In no ever will apply and will c, cause the applic	S COMMUNICATION nt, however, may a reply be time expire SIX (6) MONTHS from the cation to become ABANDONEI	N. nely filed the mailing date of this c D (35 U.S.C. § 133).					
Status									
1)[🛛	Responsive to communication(s) filed on 27 De	ecember 20	05						
	This action is FINAL . 2b) This action is non-final.								
3)	· · · · · · · · · · · · · · · · · · ·								
<u>ا</u> ر	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 435 C.G. 215.									
Disposit	ion of Claims								
4)🛛	Claim(s) <u>1-55</u> is/are pending in the application.								
	4a) Of the above claim(s) is/are withdrawn from consideration.								
5)	Claim(s) is/are allowed.								
6)⊠	Claim(s) <u>1-31 and 33-36 and 48-55</u> is/are rejected.								
7)🖂	Claim(s) 32 is/are objected to.								
8)□	<u> </u>								
Applicat	ion Papers								
97□	The specification is objected to by the Examine	or							
•	The drawing(s) filed on <u>17 September 2003</u> is/a		cented or b) object	ted to by the Exar	miner				
10/63									
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11)			•		• •				
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority (under 35 U.S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
2)	ot(s) Dee of References Cited (PTO-892) Dee of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Per No(s)/Mail Date		4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate	O-152)				

Art Unit: 3761

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. § 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.


Claims 1-6, 8-29, 33-36 and 48-55 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Friedman *et al.* (US 6,774,800 B2) in view of Navot *et al.* (US 5,904,671 A).

Regarding claims 1 and 36, Friedman *et al.* teach a urine detection network, comprising: a first detector (16) configured to service a first region of a urine collection article (2); and

at least a second detector (16') operatively coupled to the first detector and configured to service a second region of the urine collection article (2);

wherein the first detector (16) and the second detector (16') are collectively configured to indicate a fluid distribution of the urine collection article (2)(column 3, lines 31-56)(column 11, line 32-column 12, line 55)(see figure 1a, below).


Art Unit: 3761



ric. ia

Friedman *et al.* do not expressly disclose a conductive element that electrically couples the first detector to the second.

Navot *et al.* teach an absorbent article wetness detection system that employs multiple sensors (20)(60) in electrical communication (22)(see fig. 1, below). This allows the individual sensor to be remotely monitored, so the wetness of each of them is known (col. 6, lines 32-43).




At the time of the invention, it would have been obvious to one of ordinary skill in the art to incorporate the multiple electrically connected sensor arrangement of Navot *et al.* into the device of Friedman *et al.* in order to provide more precise remote monitoring of fluid distribution than can be achieved with only two unconnected sensors.

line 32-column 12, line 55)(column 13, lines 1-32).

Art Unit: 3761

Regarding claims 2 and 25, Friedman *et al.* teach that the urine detection network has a net capacitance derived from at least a first capacitance of the first detector (16) and a second capacitance of a second detector (16'), and wherein the net capacitance of the urine detection network indicates fluid distribution of the urine collection article (2)(e.g., the article is at or nearing capacity near one of the detectors but not the other)(column 6, line 48-column 7, line 33) (column 11, line 32-column 12, line 55)(figure 5).



Regarding claim 3, Friedman *et al.* teach that the capacitance ranges between a predetermined minimum and a predetermined maximum (e. g., dry and full capacity)(column 11,

Regarding claims 4, 5, 11 and 13, Friedman *et al.* in view of Navot *et al.* do not teach the specific type of ranges for the capacitance of the urine detector or thresholds of urine which trigger the device.

One of ordinary skill in the art at the time of the invention would have understood that modifying the point at which the device is triggered will directly determine at what amount of urine collected at a given sensor will cause the device to notify a user via the alarm. Depending on a particular application, in some cases such a person would want to be notified of anything greater than trace amount, in other cases, notification would not be required until the diaper

Art Unit: 3761

reaches full capacity. It would have been obvious for such a person to modify the trigger point of the device of Friedman *et al.* depending on the particular circumstances of use of the diaper.

Regarding claim 6, Friedman *et al.* teach that the urine detection network has a net capacitance derived from first and second inductance from the first and second detectors (16, 16'), respectively, wherein the net inductance of the urine detection network indicates fluid distribution of the urine collection article (2)(column 6, line 48-column 7, line 33) (column 11, line 32-column 12, line 55)(figure 5).

Regarding claims 8, 9, 12, 26 and 27, Friedman *et al.* teach that a characteristic of the first detector (16) measurably changes to a first value in response to a first threshold of urine wetting the first region of the urine collection article (2), and wherein a characteristic (such as capacitance) of the second detector (16') measurably changes to a second value in response to a second threshold of urine wetting the second region of the urine collection article (2) wherein the first value is different than the second value (column 11, line 32-column 12, line 55)(column 13, lines 1-32).

Regarding claims 10, 15 and 16, Friedman *et al.* teach that the measured values are a function of capacitance and that a dielectric property of the first detector (16) measurably changes to a first value in response to a first threshold of urine wetting the first region of the urine collection article (2), and wherein a dielectric property of the second detector (16') measurably changes to a second value in response to a second threshold of urine wetting the second region of the urine collection article (2)(column 6, line 48-column 7. line 34)(column 9, line 60-column 10, line 28).


Art Unit: 3761

Regarding claim 14, Friedman *et al.* teach that the first threshold is a more than nominal amount of urine (column 11, lines 32-55).

Regarding claims 17 and 18, Friedman *et al.* teach that the first detector (16) teaches a sensitizer including a dry ionized substance (column 10, lines 5-28).


Regarding claim 19 and 20, Friedman *et al.* teach an interface module (30, 38) in communication with first and second detectors (16, 16'), the interface module (30, 38, 49) includes an energy converting module (54) to wirelessly interact with a monitoring subsystem (58, 60) based on fluid distribution in the collection article (2)(see figures 5 and 6).

Regarding claims 21-24, Friedman *et al.* teach a connection node (54) from which a characteristic including net capacitance and/or net inductance of the urine detection network can be directly measured by detector (58).



Regarding claims 28 and 29, Friedman *et al.* teach that the first and second detectors (16, 16') are arranged on a flexible substrate (32) configured to be incorporated into a diaper (2).

Regarding claims 33 and 34, Friedman *et al.* teach first and second detectors (16, 16') comprising a conductive path (30, 34, 36, 38, 40) which is a shaped wire attached to a dielectric (non conductive of direct current) substrate (32)(figure 4a).



Claim 35 is a product-by-process claim. Product-by-process claims are not limited to the manipulations of the recited steps, only the structure implied by the steps. "[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985).

In the instant case, the claimed steps do not produce an end product that is materially different from that shown by Friedman *et al.* in figure 6. Regardless of how it was made, the referenced tag (16) consists of a flattened conductive wire attached to a non conductive substrate (32) that functions identically to that claimed by the instant invention.

Page 8

Regarding claim 48, Friedman *et al.* teach a diaper (2) having an absorbent core (10) for containing urine and the urine detection network addressed in the discussion of claim 1, supra.

Regarding claims 49 and 50, see the discussion of claims 1, 10 and 48, supra.

Regarding claim 51, Friedman *et al.* teach a monitoring subsystem (58, 60) for determining the net characteristic of the urine detection network discussed supra.

Regarding claim 52, the device of Navot *et al.* can detect wetness from just a single simultaneous measurement of multiple detectors.

Regarding claim 53, Navot *et al.* teach an interface module (58) electrically connected to detectors.

Furthermore, making what is known on the art to be separable, integral, is not sufficient to patentably distinguish an invention over the prior art. *In re Larson*, 340 F.2d 965, 968, 144 USPQ 347, 349 (CCPA 1965). MPEP § 2144.04.

Regarding claim 54, Friedman *et al.* teach wireless communication (RF) with the monitoring unit (computer, etc.).

Regarding claim 55, Navot *et al.* teach an electrical connection (22) that is at least functionally equivalent to a bus.

An express suggestion to substitute one equivalent component or process for another is not necessary to render such substitution obvious. *In re Fout*, 675 F.2d 297, 213 USPQ 532 (CCPA 1982).


Additionally, regarding the net characteristic measurement, see rejection of claims 22 and 23, supra.

Art Unit: 3761

Claim 7 is rejected under 35 U.S.C. § 103(a) as being unpatentable over Friedman *et al.* and Navot *et al.* in view of Mahgerefteh *et al.* (US 5,570,082 A)

Friedman et al. in view of Navot et al. do not teach a detector having a coil shaped conductor.

Mahgerefteh *et al.* teach a diaper wetness sensor having a coiled conductor (5). This provides for a greater surface area than an uncoiled conductor has and facilitates wetness detection (see fig. 1, below).




At the time of the invention, it would have been obvious to one of ordinary skill in the art to add the coiled conductor of Mahgerefteh *et al.* to the diaper wetness detector of Friedman *et al.* and Navot *et al.* in order to improve its ability to detect wetness.

Claims 30 and 31 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Friedman *et al.* and Navot *et al.* in view of Okada *et al.* (US 4,704,108).

Friedman *et al.* do not teach two detectors which are elements of a single planar conductive element.

Okada *et al.* teach two detectors (13) which are elements of a single planar conductive element (11) that extends the length of the diaper. This design allows wetness detection along the entire length of the diaper (see fig. 2, below).

Art Unit: 3761



At the time of the invention, it would have been obvious to one of ordinary skill in the art to use the elongated conductors of Okada *et al.* in place of the multiple detectors in the device of Friedman *et al.* in order to provide a simplified yet extended range of wetness detection.

Allowable Subject Matter

Claim 32 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter:

The art of record does not teach or fairly disclose an absorbent article having multiple urine detectors which form elements of a single conductive element wherein folding a of the conductive element creates an LC (capacitor-inductor) circuit.

Response to Arguments

Applicant's arguments with respect to claims 1-29 and 33-55 have been considered but are most in view of the new ground(s) of rejection.

Regarding claims 30 and 31, in response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., that the first and second detectors can operate without the other) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Furthermore, element 11 is considered to be a single detecting device having subelements (11) and (12).

In response to applicant's argument that taking the detecting device of Okada into the diaper of Friedman would destroy Friedman's ability to be remotely operated, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981). The sensing members of Friedman could be replaced with flat elongated sensing elements with out destroying its wireless capabilities.

Art Unit: 3761

Conclusion

Page 12

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Bogart whose telephone number is (571) 272-4933.

In the event the examiner is not available, the Examiner's supervisor, Tatyana Zalukaeva may be reached at phone number (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300 for formal communications. For informal communications, the direct fax to the Examiner is (571) 273-4933.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-3700.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

Art Unit: 3761

Page 13

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair_direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael Bogart 4 March 2006 TATYANA ZALUKAEVA SUPERVISORY PRIMARY EXAMINER